

# Technical Information for Liquid Filter Bags

## Compatibility & Temperature

Medias	Mineral Acids	Organic Acids	Alkalies	Oxidizing Acids	Animal	Organic Solvents	Micro Organisms	Temp. Limits (°F)
					Vegetable Petro-Oils			
Polyester	Good	Good	Good	Good	Excellent	Excellent	Excellent	275°
Polypropylene	Good	Excellent	Good	Fair	Excellent	Good	Excellent	200°
Nomex	Fair	Fair	Good	Poor	Excellent	Excellent	Excellent	425°
Nylon	Poor	Fair	Good	Poor	Excellent	Excellent	Excellent	300°
Rayon Viscose	Good	Good	Good	Good	Excellent	Excellent	Excellent	275°

## Sizes Available

SIZE	SQ. FT	DIAMETER (in.)	LENGTH (in.)	BAG/COLLAR/STYLE					MANUFACTURERS:									
				S	SS	DS	P	C	FSI	AFF	GAF	STRAINRITE	ROSEDALE	COMMERCIAL				
1	2.5	7.06	16.5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
2	5.0	7.06	32.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
3	0.8	4.12	8.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
4	1.3	4.12	14.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7	1.3	5.5	15.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8	2.0	5.5	20.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
9	3.3	5.5	31.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
X	0.8	4.12	8.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
X	1.3	4.12	14.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
C	2.5	7.31	16.5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
C	5.0	7.31	32.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## Typical Products Filtered

Abrasives	Industrial	Plastisols
Adhesives	Coatings	Printing
Aerosol Products	Juices	Inks
Chemicals	Lacquers	Process Water
Cleaning Fluids	Latices	Polymer Solutions
Coolants	Liquids of all types	Roller Coatings
Cutting Fluids	Paints	Textile Chemicals
Detergents	Paper Coatings	Vegetable Oils
Dyestuffs	Petroleum Products	Vinegar
Fabric Coatings	Pigments	Waxes
Food Products	Pharmaceuticals	And Many Other Products
	Plasticizers	



**Filtration Manufacturing, Inc.**

47 J. Faris Drive  
 Andalusia, AL 36421  
 Phone: (800) 239-8413  
 Fax: (800) 239-9798